01/26/2006 THU 16:35 FAX 949 282 1002 FARJAMI & FARJAMI LLP →→→ USPTO

**2**006/016

Attorney Docket No.: 01CON263P

Application Serial No.: 09/990,059

**List of Claims:** 

Claim 1 (Previously Presented): A communication system for transferring data through

a digital switching network, said communication system comprising:

a client modem;

a linecard in communication with said client modern over a local loop; and

a linecard modem interfacing with said linecard and said digital switching network;

wherein said linecard generates a dial tone and a linecard indication indicative of

existence of said linecard modem in response to said linecard detecting said client modem being

in an off-hook state;

wherein said client modern modulates client data to generate modulated client data for

transmission to said linecard over said local loop, and wherein said linecard modem receives said

modulated client data from said linecard and demodulates said modulated client data to generate

said client data for transmission through said digital switching network.

Claim 2 (Cancelled)

Claim 3 (Original): The communication system of claim 1, wherein said linecard

modem modulates network data from said digital switching network to generate modulated

network data for transmission to said client modem over said local loop, and wherein said client

modem receives and demodulates said modulated network data to generate said network data.

Page 2 of 12

98RSS135

Claim 4 (Original): The communication system of claim 1, wherein said linecard modem is a component of said linecard.

Claim 5 (Original): The communication system of claim 1, wherein said linecard modem supports a maximum data rate of about 64kbps.

Claim 6 (Original): The communication system of claim 1, wherein said linecard modern supports a maximum data rate of about 128kbps.

Claim 7 (Original): The communication system of claim 1, wherein said linecard modem and said client modem connect at a speed equal or less than a maximum network speed determined by said linecard modem.

Claim 8 (Currently Amended): A linecard for terminating a local loop used for communication of data between a client modem and a digital switching network, said linecard comprising:

an interface circuitry for terminating said local loop; and

a linecard modem interfacing with said interface circuitry;

a conversion module in communication with said client modern, said conversion module being capable of generating digitized analog samples of linear/uniform spacing;

wherein said linecard generates a dial tone and a linecard indication indicative of

existence of said linecard modern in response to said linecard detecting said client modern being
in an off-hook state;

wherein said linecard modem receives modulated client data from said client modem over said local loop, and wherein said linecard modem demodulates said modulated client data to generate said client data for transmission through said digital switching network.

Claim 9 (Previously Presented): The linecard of claim 8, wherein said linecard modem modulates network data to generate modulated network data for transmission to said client modem over said local loop.

Claim 10 (Original): The communication system of claim 8, wherein said linecard modem supports a maximum data rate of about 64 Kbps.

Claim 11 (Original): The communication system of claim 8, wherein said linecard modern supports a maximum data rate of about 128 Kbps.

Claim 12 (Original): The communication system of claim 8, wherein said linecard modem supports one or more data rates multiple of 64 Kbps.

Claim 13 (Original): The communication system of claim 8, wherein said linecard modem and said client modem connect at a speed equal or less than a maximum network speed determined by said linecard modem.

Claim 14 (Original): The communication system of claim 8, wherein said linecard modem and client modem support V.92, V.90 or V.34 compatible modulation.

Claim 15 (Currently Amended): A communication method for use with a linecard terminating a local loop in communication with a client modem, said linecard interfacing with a linecard modem in communication with a digital switching network, said communication method comprising:

detecting said local loop to be in an off-hook state by said linecard;

transmitting a dial tone by said linecard in response to said detecting;

transmitting a linecard indication indicative of existence of said linecard modem;

receiving a client indication indicative of existence of said client modem;

establishing a connection to said client modem by said line card modem;

receiving modulated client data over said local loop by said linecard modem from said client modem;

demodulating said modulated client data to generate client data by said linecard modem; and

transmitting said client data through said digital switching network.

Claim 16 (Original): The communication method of claim 15 further comprising: receiving network data by said linecard modern from said digital switching network; modulating said network data to generate modulated network data by said linecard modern; and

transmitting said modulated network data to said client modem.

Claim 17 (Original): The communication method of claim 15, wherein said linecard modem is a component of said linecard.

Claim 18 (Original): The communication method of claim 15, wherein said linecard modem supports a maximum data rate of about 64kbps.

Claim 19 (Original): The communication method of claim 15, wherein said linecard modem supports a maximum data rate of about 128kbps.

Claim 20 (Original): The communication method of claim 15, wherein said linecard modem supports one or more data rates multiple of 64kbps.

Claim 21 (Original): The communication method of claim 15, wherein said linecard modem and said client modem connect at a speed equal or less than a maximum network speed determined by said linecard modem.

Ø011/016

Attorney Docket No.: 01CON263P Application Serial No.: 09/990,059

Claim 22 (Original): The communication method of claim 15, wherein said linecard modern and client modern support V.92, V.90 or V.34 compatible modulation.

Claim 23 (Original): The communication method of claim 15, wherein said linecard indication is generated by said linecard modern.

Claim 24 (Original): The communication method of claim 23, wherein said linecard indication is a tone above 4kHz.

Claim 25 (Previously Presented): The communication system of claim 1, wherein said client modern transmits a client indication indicative of existence of said client modern in response to said linecard indication, and wherein said client modern and said linecard modern start handshaking without said client modern dialing a number.

Claim 26 (Previously Presented): The communication system of claim 25, wherein said linecard modem does not generate an answer tone for said handshaking.

Claim 27 (Previously Presented): The communication system of claim 1, wherein said client modern dials a number in response to said dial tone, and wherein said linecard identifies said number as a modern call and configures said linecard modern to start handshaking with said client modern without generating an answer tone.

01/26/2006 THU 16:36 FAX 949 282 1002 FARJAMI & FARJAMI LLP --- USPTO

Ø 012/016

Attorney Docket No.: 01CON263P

Application Serial No.: 09/990,059

Claim 28 (Cancelled)

Claim 29 (Previously Presented): The linecard of claim 8, wherein said linecard

receives a client indication from said client modem indicative of existence of said client modem

in response to said linecard indication, and wherein said linecard modem starts handshaking with

said client modem without said linecard receiving tones indicative of said client modem dialing a

number.

Claim 30 (Previously Presented): The linecard of claim 29, wherein said linecard

modem does not generate an answer tone for said handshaking.

Claim 31 (Previously Presented): The linecard of claim 8, wherein said linecard

receives tones indicative of said client modern dialing a number in response to said dial tone, and

wherein said linecard identifies said number as a modem call and configures said linecard

modem to start handshaking with said client modem without generating an answer tone.

Claim 32 (New): The method of claim 15 further comprising: receiving a client

indication indicative of existence of said client modem in response to said linecard indication.

Claim 33 (New): The method of claim 32, wherein said client modern and said linecard

modem start handshaking without said client modem dialing a number.

Page 8 of 12

98RSS135

Claim 34 (New): The method of claim 33, wherein said linecard modem does not generate an answer tone for said handshaking.

Claim 35 (New): The method of claim 15, wherein said client modern dials a number in response to said dial tone, and the method further comprising:

identifying said number as a modem call; and

configuring said linecard modern to start handshaking with said client modern without generating an answer tone.